

according to 29 CFR 1910.1200(g)

# **EP 800, Comp. A**

Revision date: 11/06/2023 Page 1 of 9

#### 1. Identification

## **Product identifier**

EP 800, Comp. A

#### Recommended use of the chemical and restrictions on use

#### Use of the substance/mixture

Adhesive mortar for fastening elements A-component (resin)

# Uses advised against

no restriction

#### Details of the supplier of the safety data sheet

Company name: MKT Fastening LLC
Street: 1 Gunnebo Drive
Place: Lonoke, AR 72086 USA

Telephone: +1(501) 676 2222 Telefax: +1(501) 676 2524

Internet: www.mktfastening.com

Emergency phone number: CHEMTREC USA: +1 800 424 9300 (24/7)

## 2. Hazard(s) identification

## Classification of the chemical

#### 29 CFR Part 1910.1200

Skin corrosion/irritation: Skin Irrit. 2

Serious eye damage/eye irritation: Eye Dam. 1 Respiratory or skin sensitization: Skin Sens. 1

## **Label elements**

## 29 CFR Part 1910.1200

Signal word: Danger

Pictograms:





# **Hazard statements**

Causes skin irritation

May cause an allergic skin reaction

Causes serious eye damage

# **Precautionary statements**

Avoid breathing vapors.

Wash hands thoroughly after handling.

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves and eye/face protection.

If skin irritation or rash occurs: Get medical advice/attention.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

## Hazards not otherwise classified

People who are allergic to epoxide should avoid the use of the product.

Use only outdoors or in a well-ventilated area.

# 3. Composition/information on ingredients

## **Mixtures**



according to 29 CFR 1910.1200(g)

# EP 800, Comp. A

Revision date: 11/06/2023 Page 2 of 9

#### **Hazardous components**

CAS No	Components	Quantity
1675-54-3	2,2'-[(1-Methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane	40 - < 50 %
9003-36-5	Formaldehyde, polymer with 2-(chloromethyl)oxirane and phenol	25 - < 35 %
2425-79-8	1,4-Bis(2,3-epoxypropoxy)butane	10 - < 15 %

#### **Further Information**

The actual concentration is withheld as a trade secret.

## 4. First-aid measures

## Description of first aid measures

#### **General information**

First aider: Pay attention to self-protection! Take off immediately all contaminated clothing and wash it before reuse. Get medical advice/attention if you feel unwell.

#### After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.

#### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing.

#### After ingestion

Do NOT induce vomiting. Rinse mouth thoroughly with water. Medical treatment necessary.

#### Most important symptoms and effects, both acute and delayed

Causes skin irritation.

May cause an allergic skin reaction.

Causes serious eye damage.

# Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## 5. Fire-fighting measures

## **Extinguishing media**

#### Suitable extinguishing media

Foam

Extinguishing powder

Water spray jet

Carbon dioxide (CO2)

# Unsuitable extinguishing media

Full water jet

# Specific hazards arising from the chemical

Pyrolysis products, toxic

Carbon monoxide

#### Special protective equipment and precautions for fire-fighters

In case of fire and/or explosion do not breathe fumes.

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit

#### Additional information

Supress gases/vapors/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.





according to 29 CFR 1910.1200(g)

# **EP 800, Comp. A**

Revision date: 11/06/2023 Page 3 of 9

#### 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

#### General advice

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Provide adequate ventilation.

#### **Environmental precautions**

Avoid release to the environment. Do not allow to enter into surface water or drains.

## Methods and material for containment and cleaning up

#### Other information

Collect spillage. Take up mechanically, placing in appropriate containers for disposal. Suitable material for taking up: Sand

Treat the recovered material as prescribed in the section on waste disposal.

Retain contaminated washing water and dispose it.

### Reference to other sections

Safe handling: see section 7

Personal protection equipment (PPE): see section 8

Disposal: see section 13

## 7. Handling and storage

# **Precautions for safe handling**

#### Advice on safe handling

Use only outdoors or in a well-ventilated area.

Wear personal protection equipment (refer to section 8).

Avoid contact with skin, eyes and clothes.

When using do not eat, drink or smoke.

# Advice on general occupational hygiene

Take off contaminated clothing and wash it before reuse. Draw up and observe skin protection programme. Wash hands thoroughly after handling. When using do not eat, drink or smoke.

#### Conditions for safe storage, including any incompatibilities

## Requirements for storage rooms and vessels

Keep container tightly closed.

Store in a place accessible by authorized persons only.

Keep only in the original container in a cool, well-ventilated place.

## Hints on joint storage

Do not store together with: Oxidizing agent, strong

Do not use for products which come into contact with the food stuffs.

#### Further information on storage conditions

storage temperature: 5 - 35°C

## 8. Exposure controls/personal protection

## **Control parameters**

#### Additional advice on limit values

To date, no national critical limit values exist.

# **Exposure controls**



according to 29 CFR 1910.1200(g)

# **EP 800, Comp. A**

Revision date: 11/06/2023 Page 4 of 9







## Appropriate engineering controls

Provide adequate ventilation. If local exhaust ventilation is not possible or not sufficient, the entire working area must be ventilated by technical means.

# Individual protection measures, such as personal protective equipment

## Eye/face protection

Wear eye/face protection. Wear safety goggles as described by 29 CFR 1910.133, OSHA eye and face protection regulation, or the European standard EN 166.

## **Hand protection**

Wear chemical resistant protective gloves.

#### Skin protection

Wear suitable protective clothing.

# Respiratory protection

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator as needed. Observe OSHA regulations for respirator use (29 CFR 1910.134).

## 9. Physical and chemical properties

## Information on basic physical and chemical properties

Physical state: solid (pasty)
Color: light beige
Odor: characteristic
Odour threshold: No data available

Melting point/freezing point:

Boiling point or initial boiling point and

No data available

No data available

boiling range:

Water solubility:

Flammability:

Lower explosion limits:

Upper explosion limits:

Flash point:

Auto-ignition temperature:

Decomposition temperature:

DH-Value:

Non-flammable.

Not applicable

not applicable

not applicable

No data available

The study does not need to be

conducted because the substance is known to be insoluble in water.

Viscosity / kinematic: not applicable

The study does not need to be conducted because the substance is known to be

insoluble in water.

Solubility in other solvents

No data available

Partition coefficient n-octanol/water:

Vapor pressure:

Density (at 20 °C):

Relative vapour density:

Particle characteristics:

not applicable

1,17 g/cm³

not applicable

#### Other information

# Information with regard to physical hazard classes



according to 29 CFR 1910.1200(g)

# EP 800, Comp. A

Revision date: 11/06/2023 Page 5 of 9

Explosive properties

The product is not: Explosive.

Self-ignition temperature

Solid: not applicable

Oxidizing properties Not oxidising.

Other safety characteristics

Evaporation rate:

Solid content:

No data available

No data available

# 10. Stability and reactivity

## Reactivity

No hazardous reaction when handled and stored according to provisions.

## **Chemical stability**

The product is stable under storage at normal ambient temperatures.

## Possibility of hazardous reactions

Violent reaction with: Oxidizing agent, strong

## **Conditions to avoid**

Heat. Keep cool. Protect from sunlight.

#### Incompatible materials

Keep away from: Oxidizing agent

# **Hazardous decomposition products**

No known hazardous decomposition products.

# 11. Toxicological information

# Information on toxicological effects

#### **Acute toxicity**

Based on available data, the classification criteria are not met.

CAS No	Components						
	Exposure route	Dose		Species	Source	Method	
1675-54-3	2,2'-[(1-Methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane						
	oral	LD50 mg/kg	15000	Rat			
	dermal	LD50 mg/kg	23000	Rabbit			
9003-36-5	Formaldehyde, polymer with 2-(chloromethyl)oxirane and phenol						
	oral	LD50 mg/kg	> 2000	Rat			
	dermal	LD50 mg/kg	> 2000	Rat			
2425-79-8	1,4-Bis(2,3-epoxypropoxy)butane						
	oral	LD50 mg/kg	1163	Rat			
	dermal	LD50 mg/kg	>2150	Rat			
	inhalation vapour	ATE	11 mg/l				
	inhalation dust/mist	ATE	1,5 mg/l				



according to 29 CFR 1910.1200(g)

# EP 800, Comp. A

Revision date: 11/06/2023 Page 6 of 9

## Irritation and corrosivity

Causes skin irritation

Causes serious eye damage

#### Sensitizing effects

May cause an allergic skin reaction (2,2'-[(1-Methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane; Formaldehyde, polymer with 2-(chloromethyl)oxirane and phenol; 1,4-Bis(2,3-epoxypropoxy)butane)

## Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

# Specific target organ toxicity (STOT) - single exposure

Based on available data, the classification criteria are not met.

## Specific target organ toxicity (STOT) - repeated exposure

Based on available data, the classification criteria are not met.

Carcinogenicity (OSHA): No ingredient of this mixture is listed.

Carcinogenicity (IARC): Bisphenol A diglycidyl ether (Araldite) (CAS 1675-54-3) is listed in group 3.

Carcinogenicity (NTP): No ingredient of this mixture is listed.

## **Aspiration hazard**

Based on available data, the classification criteria are not met.

# 12. Ecological information

#### **Ecotoxicity**

Toxic to aquatic life with long lasting effects.

CAS No	Components								
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method		
1675-54-3	2,2'-[(1-Methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane								
	Acute fish toxicity	LC50	2,0 mg/l		Oncorhynchus mykiss (Rainbow trout)				
	Acute algae toxicity	ErC50	11 mg/l		Selenastrum capricornutum				
	Acute crustacea toxicity	EC50	1,8 mg/l		Daphnia magna (Big water flea)				
9003-36-5	Formaldehyde, polymer with 2-(chloromethyl)oxirane and phenol								
	Acute fish toxicity	LC50 mg/l	2,54	96 h	Danio rerio (zebrafish)				
	Acute algae toxicity	ErC50	1,8 mg/l		Selenastrum capricornutum				
	Acute crustacea toxicity	EC50 mg/l	2,55		Daphnia magna (Big water flea)				
2425-79-8	1,4-Bis(2,3-epoxypropoxy)butane								
	Acute fish toxicity	LC50 mg/l	19,8		Leuciscus idus (golden orfe)				
	Acute algae toxicity	ErC50	160 mg/l		Pseudokirchneriella subcapitata				

## Persistence and degradability

The product has not been tested.

## Bioaccumulative potential

The product has not been tested.

## Partition coefficient n-octanol/water

CAS No	Components	Log Pow
9003-36-5	Formaldehyde, polymer with 2-(chloromethyl)oxirane and phenol	3,3





according to 29 CFR 1910.1200(g)

# EP 800, Comp. A

Revision date: 11/06/2023 Page 7 of 9

# Mobility in soil

The product has not been tested.

#### **Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

## Other adverse effects

No information available.

#### **Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

# 13. Disposal considerations

## Waste treatment methods

#### **Disposal recommendations**

Dispose of waste according to applicable legislation. Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

# 14. Transport information

## U.S. DOT 49 CFR 172.101

UN number or ID number: UN 3077

<u>Proper shipping name:</u> ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

(Epoxy resin)

Transport hazard class(es):

Packing group:
Hazard label:
9



9

9

## Marine transport (IMDG)

UN number or ID number: UN 3077

<u>UN proper shipping name:</u> ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

(Epoxy resin)

Transport hazard class(es):

Packing group:
Hazard label:
9



Special Provisions: 274, 335, 966, 967, 969

Limited quantity: 5 kg
Excepted quantity: E1
EmS: F-A, S-F

## Other applicable information (marine transport)

No dangerous goods in packaging until 5kg according 2.10.2.7 IMDG Code

## Air transport (ICAO-TI/IATA-DGR)

UN number or ID number: UN 3077

**UN proper shipping name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

(Epoxy resin)

Transport hazard class(es):

Packing group:
Hazard label:

9
9



according to 29 CFR 1910.1200(g)

# EP 800, Comp. A

Revision date: 11/06/2023 Page 8 of 9



Special Provisions: A97 A158 A179 A197

Limited quantity Passenger: 30 kg G Passenger LQ: Y956 Excepted quantity: E1

IATA-packing instructions - Passenger: 956
IATA-max. quantity - Passenger: 400 kg
IATA-packing instructions - Cargo: 956
IATA-max. quantity - Cargo: 400 kg

Other applicable information (air transport)

No dangerous goods in packaging until 5 kg according A197 IATA-DGA

#### **Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: Yes



#### Special precautions for user

No information available.

# Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

not applicable

## 15. Regulatory information

# U.S. Regulations

#### **National Inventory TSCA**

All ingredients of this mixture are included on the TSCA Inventory.

## **National regulatory information**

SARA Section 311/312 Hazards:

2,2'-[(1-Methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane (1675-54-3): Immediate (acute) health hazard

Formaldehyde, polymer with 2-(chloromethyl)oxirane and phenol (9003-36-5): Immediate (acute) health hazard

1,4-Bis(2,3-epoxypropoxy)butane (2425-79-8): Immediate (acute) health hazard

#### State Regulations

## Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65, State of California)

This product can not expose you to chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.

#### 16. Other information

#### **Hazardous Materials Information Label (HMIS)**

Health: 2
Physical Hazard: 1
Personal Protection: 
NFPA Hazard Ratings

Health: 2 Flammability: Reactivity: 1

Unique Hazard:





according to 29 CFR 1910.1200(g)

**EP 800, Comp. A** 

Revision date: 11/06/2023 Page 9 of 9

Revision date: 11/06/2023

Revision No: 1,01

#### Abbreviations and acronyms

ADN: Accord européen relativ au transport international des marchandises Dangereuses par voie de Navigation

(European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways) ADR: Accord européen sur le transport des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

BCF: Bioconcentration factor CAS: Chemical Abstracts Service

CLP: Classification, Labeling and Packaging

DMEL: Derived Minimal Effect level DNEL: Derived No Effect Level EC50: Effective concentration, 50%

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations (DRG) for the air transport (IATA)

ICAO: International Civil Aviation Organization

IC50: Inhibitory concentration, 50%

IMDG: International Maritime Code for Dangerous Goods

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

NOEC: No Observed Effect Concentration

OECD: Oragnisation for Economic Co-operation and Development

PBT: persistent, bioaccumulative and toxic vPvB: very persistent and very bioaccumulative PNEC: Predicted No Effect Concentration

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals

RID: Règlement concernant le transport international ferroviaire de marchandises dangereuses (Regulations

Concerning the International Carriage of Dangerous Goods by Rail)

VOC: Volatile organic compound

#### Other data

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)



according to 29 CFR 1910.1200(g)

# EP 800, Comp. B

Revision date: 11/06/2023 Page 1 of 9

#### 1. Identification

## **Product identifier**

EP 800, Comp. B

#### Recommended use of the chemical and restrictions on use

#### Use of the substance/mixture

compound mortar B-component (hardener)

#### Uses advised against

no restriction

## Details of the supplier of the safety data sheet

Company name: MKT Fastening LLC
Street: 1 Gunnebo Drive
Place: Lonoke, AR 72086 USA

Telephone: +1(501) 676 2222 Telefax: +1(501) 676 2524

Internet: www.mktfastening.com

Emergency phone number: CHEMTREC USA: +1 800 424 9300 (24/7)

## 2. Hazard(s) identification

## Classification of the chemical

#### 29 CFR Part 1910.1200

Skin corrosion/irritation: Skin Corr. 1A

Serious eye damage/eye irritation: Eye Dam. 1 Respiratory or skin sensitization: Skin Sens. 1

## **Label elements**

## 29 CFR Part 1910.1200

Signal word: Danger

Pictograms:





## **Hazard statements**

Causes severe skin burns and eye damage May cause an allergic skin reaction

## **Precautionary statements**

Wash hands thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If skin irritation or rash occurs: Get medical advice/attention.

## Hazards not otherwise classified

Contains Amines. May produce an allergic reaction.

Use only outdoors or in a well-ventilated area.

## 3. Composition/information on ingredients

## **Mixtures**



according to 29 CFR 1910.1200(g)

# **EP 800, Comp. B**

Revision date: 11/06/2023 Page 2 of 9

#### **Hazardous components**

CAS No	Components	Quantity
25513-64-8	2,2,4(or 2,4,4)-Trimethylhexane-1,6-diamine	1 - < 10 %
1477-55-0	m-Phenylenebis(methylamine)	1 - < 8 %
90-72-2	2,4,6-Tris(dimethylaminomethyl)phenol	1 - < 10 %
104-15-4	p-Toluenesulphonic acid	1 - < 5 %
112-24-3	3,6-Diazaoctanethylenediamine	< 1 %

#### **Further Information**

The actual concentration is withheld as a trade secret.

#### 4. First-aid measures

#### Description of first aid measures

#### **General information**

First aider: Pay attention to self-protection! Remove affected person from the danger area and lay down. Take off immediately all contaminated clothing and wash it before reuse. Get medical advice/attention if you feel unwell.

#### After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.

#### After contact with eves

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing.

# After ingestion

Do NOT induce vomiting. Rinse mouth thoroughly with water. Medical treatment necessary.

## Most important symptoms and effects, both acute and delayed

Causes severe skin burns and eye damage.

May cause an allergic skin reaction.

## Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## 5. Fire-fighting measures

## **Extinguishing media**

# Suitable extinguishing media

Foam

Extinguishing powder

Water spray jet

Carbon dioxide (CO2)

## Unsuitable extinguishing media

Full water jet

# Specific hazards arising from the chemical

Pyrolysis products, toxic

Carbon monoxide

## Special protective equipment and precautions for fire-fighters

In case of fire and/or explosion do not breathe fumes.

Wear a self-contained breathing apparatus and chemical protective clothing.





according to 29 CFR 1910.1200(g)

# EP 800, Comp. B

Revision date: 11/06/2023 Page 3 of 9

#### Additional information

Supress gases/vapors/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

#### General advice

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Provide adequate ventilation.

#### **Environmental precautions**

Avoid release to the environment. Do not allow to enter into surface water or drains.

## Methods and material for containment and cleaning up

#### Other information

Collect spillage. Take up mechanically, placing in appropriate containers for disposal. Suitable material for taking up: Sand

Treat the recovered material as prescribed in the section on waste disposal.

Retain contaminated washing water and dispose it.

#### Reference to other sections

Safe handling: see section 7

Personal protection equipment (PPE): see section 8

Disposal: see section 13

## 7. Handling and storage

## Precautions for safe handling

## Advice on safe handling

Use only outdoors or in a well-ventilated area.

Wear personal protection equipment (refer to section 8).

Avoid contact with skin, eyes and clothes.

When using do not eat, drink or smoke.

### Advice on general occupational hygiene

Take off contaminated clothing and wash it before reuse. Draw up and observe skin protection programme. Wash hands thoroughly after handling. When using do not eat, drink or smoke.

## Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed.

Store in a place accessible by authorized persons only.

Keep only in the original container in a cool, well-ventilated place.

# Hints on joint storage

Do not store together with: Oxidizing agent, strong, Organic peroxides

Do not use for products which come into contact with the food stuffs.

# Further information on storage conditions

Keep container tightly closed in a cool place.

storage temperature: 5 - 35°C

# 8. Exposure controls/personal protection

#### **Control parameters**



according to 29 CFR 1910.1200(g)

# EP 800, Comp. B

Revision date: 11/06/2023 Page 4 of 9

## **Exposure limits**

CAS No	Substance	ppm	mg/m³	f/cc	Category	Origin
1344-28-1	alpha-Alumina Respirable fraction	-	5		TWA (8 h)	PEL
1477-55-0	m-Xylene alpha,alpha'-diamine	0.018	-		Peak	ACGIH-2022
1477-55-0	m-Xylene-alpha, alpha'-diamine	-	C 0.1		Ceiling	REL

#### Additional advice on limit values

This mixture contains quartz (inorganic filler) which is firmly bound in the pasty component, and thus not freely available during use, so that a risk of dust inhalation is excluded. Exposure limit values for respirable dusts are not relevant for this product.

## **Exposure controls**







## Appropriate engineering controls

Provide adequate ventilation. If local exhaust ventilation is not possible or not sufficient, the entire working area must be ventilated by technical means.

#### Individual protection measures, such as personal protective equipment

#### Eye/face protection

Wear eye/face protection. Wear safety goggles as described by 29 CFR 1910.133, OSHA eye and face protection regulation, or the European standard EN 166.

# **Hand protection**

Wear chemical resistant protective gloves.

## Skin protection

Wear suitable protective clothing.

#### Respiratory protection

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator as needed. Observe OSHA regulations for respirator use (29 CFR 1910.134).

## 9. Physical and chemical properties

## Information on basic physical and chemical properties

Physical state: solid (pasty)
Color: gray/red
Odor: characteristic
Odour threshold: No data available

Melting point/freezing point:

Boiling point or initial boiling point and

No data available

No data available

boiling range:

Flammability:
Lower explosion limits:
upper explosion limits:
not applicable
Upper explosion limits:
not applicable
Flash point:
not applicable
Auto-ignition temperature:
not applicable
Decomposition temperature:
No data available
pH-Value:
The study does not need to be

The study does not need to be conducted because the substance is known to be insoluble in water.

Viscosity / kinematic: not applicable





according to 29 CFR 1910.1200(g)

# **EP 800, Comp. B**

Revision date: 11/06/2023 Page 5 of 9

Water solubility: The study does not need to be conducted because the substance is known to be

insoluble in water.

Solubility in other solvents

No data available

Partition coefficient n-octanol/water:

Vapor pressure:

Density (at 20 °C):

Relative vapour density:

Particle characteristics:

not applicable

1,80 g/cm³

not applicable

No data available

# Other information

#### Information with regard to physical hazard classes

Explosive properties

The product is not: Explosive.

Self-ignition temperature

Solid: not applicable

Oxidizing properties Not oxidising.

Other safety characteristics

Evaporation rate:

Solid content:

No data available

No data available

## 10. Stability and reactivity

## Reactivity

see section 10.3

## **Chemical stability**

The product is stable under storage at normal ambient temperatures.

## Possibility of hazardous reactions

Violent reaction with: Oxidising agent

#### Conditions to avoid

see section 7.2

## **Incompatible materials**

Oxidizing agent, strong

## **Hazardous decomposition products**

No known hazardous decomposition products.

# 11. Toxicological information

## Information on toxicological effects

#### **Acute toxicity**

Based on available data, the classification criteria are not met.

#### **ATEmix** calculated

ATE (oral) 3456,5 mg/kg; ATE (inhalation vapour) 197,71 mg/l; ATE (inhalation dust/mist) 26,961 mg/l



according to 29 CFR 1910.1200(g)

# **EP 800, Comp. B**

Revision date: 11/06/2023 Page 6 of 9

CAS No	Components							
	Exposure route	Dose		Species	Source	Method		
25513-64-8	2,2,4(or 2,4,4)-Trimethylhexane-1,6-diamine							
	oral	ATE mg/kg	500					
1477-55-0	m-Phenylenebis(methylamine)							
	oral	LD50 mg/kg	930	Rat				
	dermal	LD50 mg/kg	2000	Rabbit				
	inhalation (1 h) vapour	LC50	3,89 mg/l	Rat				
	inhalation dust/mist	ATE	1,5 mg/l					
90-72-2	2,4,6-Tris(dimethylamir	nomethyl)ph	nenol					
	oral	LD50 mg/kg	2169	Rat				
	dermal	LD50 mg/kg	1280	Rat				
112-24-3	3,6-Diazaoctanethylenediamine							
	oral	LD50 mg/kg	2500	Rat				
	dermal	LD50 mg/kg	805	Rabbit				

#### Irritation and corrosivity

Causes severe skin burns and eye damage

Causes serious eye damage

# Sensitizing effects

May cause an allergic skin reaction (2,2,4(or 2,4,4)-Trimethylhexane-1,6-diamine;

m-Phenylenebis(methylamine); 3,6-Diazaoctanethylenediamine)

## Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

## Specific target organ toxicity (STOT) - single exposure

Based on available data, the classification criteria are not met.

## Specific target organ toxicity (STOT) - repeated exposure

Based on available data, the classification criteria are not met.

Carcinogenicity (OSHA):

No ingredient of this mixture is listed.

No ingredient of this mixture is listed.

Carcinogenicity (NTP): No ingredient of this mixture is listed.

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

# 12. Ecological information

### **Ecotoxicity**

Toxic to aquatic life with long lasting effects.

# Persistence and degradability

The product has not been tested.

## **Bioaccumulative potential**

The product has not been tested.

# Mobility in soil

The product has not been tested.



according to 29 CFR 1910.1200(g)

# **EP 800, Comp. B**

Revision date: 11/06/2023 Page 7 of 9

## **Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

## Other adverse effects

No information available.

#### **Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

## 13. Disposal considerations

## **Waste treatment methods**

# **Disposal recommendations**

Dispose of waste according to applicable legislation. Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

## 14. Transport information

## U.S. DOT 49 CFR 172.101

**UN number or ID number:** UN 3259

AMINES, SOLID, CORROSIVE, N.O.S. (2,2,4(or 2,4,4) Proper shipping name:

-Trimethylhexane-1,6-diamine; m-Phenylenebis(methylamine))

Transport hazard class(es): Packing group: Ш 8

Hazard label:



#### Marine transport (IMDG)

**UN number or ID number:** UN 3259

AMINES, SOLID, CORROSIVE, N.O.S. (2,2,4(or 2,4,4) **UN proper shipping name:** 

-Trimethylhexane-1,6-diamine; m-Phenylenebis(methylamine))

8 Transport hazard class(es): Ш Packing group: Hazard label: 8



**Special Provisions:** 274 Limited quantity: 1 kg Excepted quantity: E2 EmS: F-A, S-B

#### Air transport (ICAO-TI/IATA-DGR)

**UN number or ID number:** UN 3259

**UN proper shipping name:** AMINES, SOLID, CORROSIVE, N.O.S. (2,2,4(or 2,4,4)

-Trimethylhexane-1,6-diamine; m-Phenylenebis(methylamine)) 8

Transport hazard class(es): Packing group:

Ш Hazard label: 8





according to 29 CFR 1910.1200(g)

EP 800, Comp. B

Revision date: 11/06/2023 Page 8 of 9

Special Provisions:

Limited quantity Passenger:

Passenger LQ:

Excepted quantity:

A3 A803

5 kg

Y844

Excepted quantity:

E2

IATA-packing instructions - Passenger: 859
IATA-max. quantity - Passenger: 15 kg
IATA-packing instructions - Cargo: 863
IATA-max. quantity - Cargo: 50 kg

**Environmental hazards** 

ENVIRONMENTALLY HAZARDOUS: No

Special precautions for user

No information available.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

not applicable

## 15. Regulatory information

### **U.S. Regulations**

## **National Inventory TSCA**

All ingredients of this mixture are included on the TSCA Inventory.

# **National regulatory information**

SARA Section 311/312 Hazards:

2,2,4(or 2,4,4)-Trimethylhexane-1,6-diamine (25513-64-8): Immediate (acute) health hazard

m-Phenylenebis(methylamine) (1477-55-0): Immediate (acute) health hazard

2,4,6-Tris(dimethylaminomethyl)phenol (90-72-2): Immediate (acute) health hazard

p-Toluenesulphonic acid (104-15-4): Immediate (acute) health hazard

3,6-Diazaoctanethylenediamine (112-24-3): Immediate (acute) health hazard

SARA Section 313 Toxic release inventory:

Aluminum oxide (fibrous forms) (1344-28-1): De minimis limit = 1.0 %, Reportable threshold = Standard

## **State Regulations**

#### Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65, State of California)

This product can not expose you to chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.

#### **Additional information**

This mixture contains quartz (silica) filler which is firmly bound in the pasty component, and thus not freely available during use, so that a risk of dust inhalation is excluded. Exposure limit values for respirable dusts are not relevant for this product. Silica is listed in the Proposition 65 list.

#### 16. Other information

#### **Hazardous Materials Information Label (HMIS)**

Health: 2
Physical Hazard: 1
Personal Protection: -

**NFPA Hazard Ratings** 

Health: 2
Flammability: 1

Unique Hazard:

Revision date: 11/06/2023

Revision No: 1,01





MKT Fastening LLC

according to 29 CFR 1910.1200(g)

# EP 800, Comp. B

Revision date: 11/06/2023 Page 9 of 9

#### Abbreviations and acronyms

ADN: Accord européen relativ au transport international des marchandises Dangereuses par voie de Navigation

(European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways) ADR: Accord européen sur le transport des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

BCF: Bioconcentration factor CAS: Chemical Abstracts Service

CLP: Classification, Labeling and Packaging

DMEL: Derived Minimal Effect level DNEL: Derived No Effect Level EC50: Effective concentration, 50%

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations (DRG) for the air transport (IATA)

ICAO: International Civil Aviation Organization

IC50: Inhibitory concentration, 50%

IMDG: International Maritime Code for Dangerous Goods

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

NOEC: No Observed Effect Concentration

OECD: Oragnisation for Economic Co-operation and Development

PBT: persistent, bioaccumulative and toxic vPvB: very persistent and very bioaccumulative PNEC: Predicted No Effect Concentration

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals

RID: Règlement concernant le transport international ferroviaire de marchandises dangereuses (Regulations

Concerning the International Carriage of Dangerous Goods by Rail)

VOC: Volatile organic compound

#### Other data

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)